



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G07B 11/00, H05K 5/00	A1	(11) International Publication Number: WO 96/38817 (43) International Publication Date: 5 December 1996 (05.12.96)
(21) International Application Number: PCT/PL96/00012 (22) International Filing Date: 31 May 1996 (31.05.96) (30) Priority Data: P.308861 1 June 1995 (01.06.95) PL (71) Applicants: GAŚSIOR, Adam [PL/PL]; ul. Traugutta 7/1, PL-39-300 Mielec (PL). GAŚSIOR, Roman [PL/PL]; ul. Traugutta 7/1, PL-39-300 Mielec (PL). RĄCZKA, Edward [PL/PL]; ul. Traugutta 7/1, PL-39-300 Mielec (PL). RĄCZKA, Zdzisław [PL/PL]; ul. Traugutta 7/1, PL-39-300 Mielec (PL). RĄCZKA, Józef [PL/PL]; ul. Traugutta 7/1, PL-39-300 Mielec (PL). MIKOWSKI, Bogdan [PL/PL]; ul. Traugutta 7/1, PL-39-300 Mielec (PL). GAŚSIOR, Danuta [PL/PL]; ul. Traugutta 7/1, PL-39-300 Mielec (PL). (72) Inventors: GRANICZKA, Waław; ul. Warneńczyka 1/97, PL-39-300 Mielec (PL). DATA, Józef; ul. P. Skargi 11/40, PL-39-300 Mielec (PL). (74) Agent: SZCZECIŃSKI, Zygmunt; al. Niepodległości 8/4, PL-39-300 Mielec (PL).		(81) Designated States: AM, BG, BY, CZ, HU, KG, KZ, LT, LV, MD, MN, RO, RU, SK, TJ, UA, UZ. Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: CONTROLLER, ESPECIALLY ONE FOR MARKING VALIDITY OF TICKETS AND CONTROLLER UNIT SYSTEM		
(57) Abstract <p>A controller, especially one to mark the validity of tickets, characterized by the fact, that it has a housing base (2) adapted to the upper housing (1) with a slanted plane in which a rotary digital switch (4) is located, situated above the microcontroller printed-circuit board, the display (3), monitor lights (11), and switch (8) "ZAS" and switch (9) "KAS". A controller unit system, especially one to mark the validity of tickets, characterized by the fact, that it contains a microprocessor (A) connected with a crystal oscillator (B), a microswitch block (C), and a multiplexing generator (D) generating signals necessary for the correct operation of the display (3) and control push-buttons (5, 6, 7), as well as a rotary digital switch (4), a transcoder (E) changing the code, a transmitter (F) and a receiver (G) of the transmission line (T).</p> <div data-bbox="925 1123 1412 1911"> </div>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

Controller, Especially One for Marking Validity
of Tickets and Controller Unit System

The subject of this invention is a controller, especially one to mark the validity of tickets and the controller unit system.

There are known controllers with gear mechanisms driven through lever and pawl systems. The gear shift over one tooth actuates the microswitch sending a current pulse rotating the printing gears through one digit in the devices being controlled. The setting of digits indicated by optical indicators is burdensome and the unreliable electromechanical system gives little room for control.

The goal of invention is avoid the shortcomings of the known mechanical controllers.

The controller unit system makes possible the overprint on the tickets and the control of the bus operation.

The controller for marking the validity of tickets, in accordance with the invention, has a housing, in which an integrated microcontroller printed-circuit board is located, reading field display, and a rotary switch positioned above the microcontroller. A single conductor remotecontrol bus controlling at least one ticket printer is connected through the housing wall.

The controller unit system, in accordance with the invention is characterized by the fact that it contains a microprocessor connected to a crystal oscillator microswitch block and multiplexing generator generating signals necessary for the correct operation of the display, control push-buttons, and the rotary switch. The controller contains a transcoder changing the code and the transmission line transmitter/ and receiver.

The subject of the invention is shown in the drawing in which figure 1 presents the controller unit system schematic, fig.2 - an axonometric view of the controller, and fig.3 - a longitudinal section through the controller.

The controller, according to the invention, for marking the validity of tickets, includes a housing consisting of a base 2 of this housing and an upper housing 1 having a slanted plane, in which there is a rotary digital switch 4 situated above the microcontroller printed-circuit board, and a display 3, monitor lights 11 screened with a shield 10, a switch 8 "ZAS" and a switch 9 "KAS".

Inside the housing there is a printed-circuit board with a microprocessor A connected with a crystal oscillator B, microswitch block C, and multiplexing generator D generating signals necessary for the correct operation of the display 3, control push-buttons 5, 6, 7 and rotary switch 4. The controller is fitted with a transcoder E changing the code, as well as the transmitter F and a receiver G of the transmission line I powered from the feeder Z. The controller in accordance with the unit system enables remote control of the ticket printers, i.e. printing of digits, indication of the time, and printing of the time, if desired, as well as control of the bus operation.



List of Markings

A	-	microprocessor
B	-	crystal oscillator
C	-	microswitch block
D	-	multiplexing generator
3	-	display
4	-	rotary switch
5, 6, 7	-	control push-buttons
E	-	transcoder
F	-	transmitter
G	-	receiver
T	-	transmission line
Z	-	feeder
1	-	upper housing
2	-	housing base
8	-	switch "ZAS"
9	-	switch "KAS"
10	-	shield
11	-	monitor lights

Claims

1. A controller, especially one to mark the validity of tickets, characterized by the fact, that it has a housing base /2/ adapted to the upper housing /1/ with a slanted plane in which a rotary digital switch /4/ is located, situated above the microcontroller printed-circuit board, the display /3/, monitor lights /11/,
5 and switch /8/ "ZAS" and switch /9/ "KAS".
2. A controller unit system, especially one to mark the validity of tickets, characterized by the fact, that it contains a microprocessor /A/ connected with a crystal oscillator /B/, a microswitch block /C/, and a multiplexing generator /D/ generating signals necessary for the correct operation of the
10 display /3/, and control push-buttons /5/, /6/, /7/, as well as a rotary digital switch /4/, a transcoder /E/ changing the code, a transmitter /F/ and a receiver /G/ of the transmission line /T/.

1/2






Fig 3

INTERNATIONAL SEARCH REPORT

International Application No

PCT/PL 96/00012

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 G07B11/00 H05K5/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 G07B G07C B41J G07F H05K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US,A,4 630 538 (CUSHMAN LARRY A) 23 December 1986 see abstract; figures ---	1,2
A	EP,A,0 163 197 (MANNESMANN KIENZLE GMBH) 4 December 1985 see abstract; figures ---	1,2
A	US,A,5 260 552 (COLBERT BRYAN K ET AL) 9 November 1993 see abstract; figures ---	1,2
A	GB,A,2 125 645 (SONY TEKTRONIX CORP) 7 March 1984 see abstract; figures ---	1
-/--		

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the international search

28 October 1996

Date of mailing of the international search report

15. 11. 96

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+ 31-70) 340-3016

Authorized officer

Meyl, D

INTERNATIONAL SEARCH REPORT

International Application No

PCT/PL 96/00012

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DE,A,35 44 188 (ATRON ELECTRONIC GMBH) 19 June 1987 see abstract; figures ---	2
A	US,A,5 225 665 (ZERFAHS ARTHUR S ET AL) 6 July 1993 ---	
A	GB,A,2 236 627 (PITNEY BOWES PLC) 10 April 1991 ---	
A	EP,A,0 171 738 (OMRON TATEISI ELECTRONICS CO) 19 February 1986 -----	

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

page 2 of 2

06/26/2003, EAST Version: 1.04.0000

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/PL 96/00012

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US-A-4630538	23-12-86	NONE	
EP-A-0163197	04-12-85	DE-A- 3419773	28-11-85
		DE-A- 3566176	15-12-88
		US-A- 4574189	04-03-86
US-A-5260552	09-11-93	NONE	
GB-A-2125645	07-03-84	JP-A- 59032812	22-02-84
		CA-A- 1186781	07-05-85
		DE-A- 3329723	23-02-84
		FR-A- 2532077	24-02-84
		US-A- 4527230	02-07-85
DE-A-3544188	19-06-87	NONE	
US-A-5225665	06-07-93	NONE	
GB-A-2236627	10-04-91	EP-A- 0507018	07-10-92
		JP-A- 4324996	13-11-92
		US-A- 5204807	20-04-93
EP-A-0171738	19-02-86	JP-C- 1824113	10-02-94
		JP-B- 5034176	21-05-93
		JP-A- 61044034	03-03-86
		CA-A- 1254636	23-05-89
		DE-A- 3561795	14-04-88
		US-A- 4788447	29-11-88
		US-A- 4691116	01-09-87
		US-A- 4705959	10-11-87

Form PCT/ISA/210 (patent family annex) (July 1992)